



Mopping Products for Critical Environments

Clean counts most



About Contec® Cleanroom

Contec has been solving contamination control challenges in a variety of different cleanrooms and controlled environments for more than 35 years.

Contec, Inc. is a leading manufacturer of contamination control products for critical cleaning in manufacturing environments worldwide. Contec's cleanroom wipes, mops and disinfectants are used in various industries across the globe including biotechnology, pharmaceutical, medical device, microelectronics and other critical life science applications.

Experienced: With over 35 years experience, we understand the unique cleaning and contamination control requirements of these highly regulated markets. Our sales and technical support teams are fully trained to assist customers in finding or creating a Contec product that best meets their needs. With experienced, long-established sales representatives all over the world, our customers benefit from personalized service and fast, efficient sample and order turnaround.

Global: Contec owns and operates manufacturing facilities in Spartanburg, South Carolina, Ashington, UK, and Suzhou, China. Contec has distribution centers in Toledo, Ohio, and Vannes, France. All manufacturing facilities are ISO 9001:2015 certified. Contec has operational, sales, and technical service teams in North America, Europe, and Asia. These facilities and dedicated team members give Contec the ability to provide product and technical support to multinational customers with global needs.

Committed to quality: We recognize our customers as the center of our organizational structure. Our employees are committed to meeting each customer's specifications and exceeding each customer's expectations. We will achieve this through the periodic review and continuous improvement of all processes in our management system.

All manufacturing sites are currently certified to ISO 9001:2015, which ensures customers of consistent quality products - from development to delivery. As a vertically integrated manufacturer, Contec controls more of the manufacturing process than any other supplier. We invite you to come and visit our manufacturing facilities and find out for yourselves.

Committed to customers: Let us help solve your cleaning challenges. Product samples, demonstrations and trials are always offered free-of-charge. We have regional technical specialists working with our professional sales staff who will come to your location and recommend the best products and practices for your needs. If necessary we can develop unique custom solutions to your problems.



Contec[®] Mopping Systems

The most complete line of cleaning tools for cleanrooms and controlled environments.

Over the past 35 years, Contec has developed the most complete line of mopping and cleaning products for critical environments. Whether disinfecting or cleaning floors, walls, ceilings, or inside bio-safety cabinets and isolators, Contec has a mop or cleaning tool that meets the demanding requirements of today's high-tech industries.

Many of our mops are available validated sterile for use in aseptic environments. Mop hardware and bucket systems are fully autoclavable unless otherwise noted. We also offer a selection of mops and buckets for customers with limited storage space.

Contents

| | |
|--|-----------|
| VertiKlean [®] MAX [™] Mops | 6 |
| Edgeless [®] Floor Mops | 8 |
| EasyCurve [™] Mop | 9 |
| EasyReach [™] Isolator and Mini-Environment Cleaning Tool | 10 |
| QuickTask [®] Mops | 12 |
| VertiKlean [®] MAX [™] Mop Wipe System | 14 |
| EasySat [™] Bucketless Floor Mop | 16 |
| DualClean [™] | 17 |
| Multiple Bucket Systems | 18 |
| Correct Mopping Protocol | 19 |
| Compact Bucket System | 20 |
| Contec Multiple Bucket Systems | 22 |
| Basic Bucket Systems | 24 |
| Edgeless [®] Mop Double Bucket System | 25 |
| Divided Double Bucket System | 25 |
| QuickConnect [™] Mop Frames and Handles | 26 |
| Critical Environments Mop Guide | 28 |

Use Contec's Mop selector tool to find the best mop for your application at mopselector.contecinc.com



VertiKlean® MAX™ Mops

Foam mop with microfiber face

Product information

VertiKlean® MAX™ mop is lightweight and ergonomic making it ideal for cleaning and disinfecting ceilings, walls, floors as well as under and behind equipment in the most critical life science cleanrooms. The disposable mop head features polyurethane foam laminated to ribbed polyester microfiber fabric making it highly absorbent while the ribbed, microfiber fabric provides better contamination and residue removal.

The VertiKlean MAX mop is available with sealed edges reducing the risk of fiber and particulate contamination. The edges bend to allow cleaning of adjacent coved surfaces. Both the open foam and sealed edge VertiKlean MAX is compatible with solutions and disinfectants.

QuickConnect frames are available as standard and lay-flat options for cleaning tight, hard to reach areas. QuickConnect handles are available single length and telescopic in both anodized aluminum and stainless steel. All hardware is autoclavable.

- Lightweight design makes this flat mop especially suitable for walls, floors and ceilings reducing operator fatigue and promoting best practice.
- Hands-free mop head removal with the Compact Bucket System.
- Available in a range of sizes, layflat or standard frame and different handle options to ensure the mop can be used in all areas.



Ribbed microfiber with sealed edges reduces the risk of shedding particulates



Use with a variety of Contec's wipes to extend the life of the mop head

| Features | Benefits |
|---|---|
| Ultra-lightweight semi-rigid thermoformed head plate | <ul style="list-style-type: none"> • Reduces operator fatigue encouraging compliance with best practice mopping |
| Textured microfiber fabric laminated to laser cut hydrophilic polyurethane foam | <ul style="list-style-type: none"> • Retains high levels of fluid reducing the frequency of replenishment from the bucket • Heat sealed edges lower the risk of shedding particulates • Good chemical resilience so compatible with most common detergents and disinfectants • Ensures smooth and uniform application of disinfectant • More durable than a traditional sponge |
| Sealed polyurethane foam option | <ul style="list-style-type: none"> • Reduces the risk of fiber and particulate contamination • Edges bend to allow cleaning of adjacent coved surfaces or junctions |
| Low profile mop head | <ul style="list-style-type: none"> • Allows easy access to confined spaces for efficient cleaning and disinfection |
| Pivoting mop frame | <ul style="list-style-type: none"> • Makes cleaning around door/window frames and fitted equipment easy |
| Validated sterile options | <ul style="list-style-type: none"> • Meets GMP requirements for sterile products in Grade A and B zones |
| Optional polyester mop head covers | <ul style="list-style-type: none"> • Extend the life of the mop head so reducing overall costs |
| Designed for use with QuickConnect Mop Handles | <ul style="list-style-type: none"> • Different handles can be interchanged quickly and easily |

| Part No. | Description | | Size | Packaging |
|----------|--|---|---|------------------------|
| VKSE0100 | Regular VertiKlean MAX Sealed edge mop head | | 9.5" x 5" x 0.375" (24 x 13 x 1 cm) | 4/bag; 10 bags/case |
| VKSE0150 | Regular VertiKlean MAX Sterile sealed edge mop head |  | 9.5" x 5" x 0.375" (24 x 13 x 1 cm) | 1/bag; 40 bags/case |
| VKSE0200 | Medium VertiKlean MAX Sealed edge mop head | | 15" x 5" x 0.375" (38 x 13 x 1 cm) | 4/bag; 4 bags/case |
| VKSE0250 | Medium VertiKlean MAX Sterile sealed edge mop head |  | 15" x 5" x 0.375" (38 x 13 x 1 cm) | 1/bag; 24 bags/case |
| VKSE0300 | Large VertiKlean MAX Sealed edge mop head | | 18" x 5" x 0.375" (46 x 13 x 1 cm) | 4/bag; 5 bags/case |
| VKSE0350 | Large VertiKlean MAX Sterile sealed edge mop head |  | 18" x 5" x 0.375" (46 x 13 x 1 cm) | 1/bag; 20 bags/case |
| VKMX0125 | Regular VertiKlean MAX Ribbed microfiber mop head | | 8" x 4" x 1" (20 x 10 x 2 cm) | 4/bag; 12 bags/case |
| VKMX0175 | Regular VertiKlean MAX Sterile ribbed microfiber mop head |  | 8" x 4" x 1" (20 x 10 x 2 cm) | 1/bag; 48 bags/case |
| VKMX0225 | Medium VertiKlean MAX Ribbed microfiber mop head | | 13" x 4" x 1" (33 x 10 x 2 cm) | 4/bag; 7 bags/case |
| VKMX0275 | Medium VertiKlean MAX Sterile ribbed microfiber mop head |  | 13" x 4" x 1" (33 x 10 x 2 cm) | 1/bag; 28 bags/case |
| VKMX0325 | Large VertiKlean MAX Ribbed microfiber mop head | | 15" x 4" x 1" (38 x 10 x 2 cm) | 4/bag; 6 bags/case |
| VKMX0375 | Large VertiKlean MAX Sterile ribbed microfiber mop head |  | 15" x 4" x 1" (38 x 10 x 2 cm) | 1/bag; 24 bags/case |
| 2651LF | QuickConnect Layflat Mop Frame Stainless steel mop frame for Regular VertiKlean MAX Mop Heads | | 7" (18 cm) | 1/case |
| 2651KLF | QuickConnect Layflat Mop Frame Stainless steel mop frame for Regular VertiKlean MAX Mop Wipe System | | 7.5" x 1.75" x 4.25" (19 x 4.7 x 11 cm) | 1/case |
| 2652SS | QuickConnect Mop Frame Stainless steel mop frame for Medium & Large VertiKlean MAX Mop Heads | | 11.5" (29 cm) | 1/case |
| 2652LF | QuickConnect Layflat Mop Frame Stainless steel mop frame for Medium & Large VertiKlean MAX Mop Heads | | 11.5" (29 cm) | 1/case |
| 2652K | QuickConnect Mop Frame Stainless steel mop frame for VertiKlean MAX Mop Wipe System | | 11.5" x 1.75" x 4.25" (29 x 4.7 x 11 cm) | 1/case |



Regular
2651LF with VKSE0100



Medium
2652SS with VKSE0200



Large
2652SS with VKSE0300

Edgeless® Floor Mops

Polyester string mop

Product information

Edgeless® mops provide excellent abrasion for residue removal and lays down more solution to surfaces than flat mops to meet required dwell times. Edgeless mops are made from a continuous tube of 100% polyester knitted fabric looped to form tubular mop strands. It is compatible with a wide variety of disinfectants and solutions. Cleanroom laundered, strong and durable, the Edgeless mop heads eliminate breakage and deterioration common with cotton and rayon string mops.



Edgeless Mop – traditional tube construction



Textured Edgeless Mop – unique ribbed and twisted strands

| Features | Benefits |
|--|---|
| Laundered 100% knitted polyester in a continuous tube loop | <ul style="list-style-type: none"> • Very clean and durable with no cut edges • Very low levels of particulates and fibers • Good chemical resistance, compatible with a wide range of detergents and disinfectants • Last up to 10 times longer than traditional mops, can be relaundered and autoclaved |
| Tail band | <ul style="list-style-type: none"> • Improved control of mop motion, especially around fitted equipment |
| Textured large head band | <ul style="list-style-type: none"> • Provides good abrasion for residue removal |
| Unique twisted ribbed strand option | <ul style="list-style-type: none"> • Increases sorbent capacity of the mop |

| Part No. | Description | | Size | Packaging |
|-----------|---|---|-------------------------|------------------------|
| EL-MOP | Edgeless Floor Mop | | Standard | 1/bag; 20 bags/case |
| EL-MOP IR | Edgeless Floor Mop Sterile |  | Standard | 1/bag; 20 bags/case |
| ELMOP3 | Edgeless Floor Mop Textured | | Standard | 1/bag; 30 bags/case |
| ELMOP3IR | Edgeless Floor Mop Textured, sterile |  | Standard | 1/bag; 30 bags/case |
| ELMOP5 | Edgeless Floor Mop Textured, long | | Long | 1/bag; 30 bags/case |
| ELMOPMD1 | Edgeless Floor Mop Microfiber | | Standard | 1/bag; 30 bags/case |
| 2646F | QuickConnect Edgeless Floor Mop Frame, polypropylene, stainless steel | | 6" x 7" (15 x 18 cm) | 1/case |

EasyCurve™ Mop

Curved foam mop with microfiber face

Product information

EasyCurve™ mop curved design provides effortless contact with all surfaces, including coved joints, and allows for easier “pull and lift” technique. EasyCurve mop heads are made of microfiber knitted polyester fabric laminated to sealed edge clean polyurethane foam. This absorbent mop head provides a uniform application of disinfectants to surfaces.

The combination of the curved head and pivoting handle makes the EasyCurve mop an ideal tool for all areas of the cleaning especially difficult to access coving joints between walls, floors and ceilings.

The weight of the EasyCurve mop is up to 50% lower than a self-wringing mop. It is compatible with Contec's bucket systems, curved wringer and QuickConnect handles.



| Features | Benefits |
|---|---|
| Textured microfiber fabric laminated to laser-cut hydrophilic polyurethane foam | <ul style="list-style-type: none"> • Heat sealed edges lower the risk of shedding particulates • Good chemical resistance so compatible with most common detergents and disinfectants • Ensures smooth and uniform application of disinfectant • Better contaminant removal • More durable than a traditional sponge |
| Stainless steel mop head frame with plastic "bumpers" | <ul style="list-style-type: none"> • Durable and autoclavable suitable for use in a cleanroom environment • Protects adjacent walls and surfaces from damage |
| Curved pivoting head design | <ul style="list-style-type: none"> • Provides effortless contact with all surfaces including coving joints • Allows “pull and lift” technique to be employed on all surfaces |
| Lightweight system | <ul style="list-style-type: none"> • Less than half the weight of a self-wringing mop, significantly reduces operator fatigue increasing the level of compliance |
| Autoclavable hardware | <ul style="list-style-type: none"> • Suitable for use in all grades of cleanroom |
| Sterile options available | <ul style="list-style-type: none"> • Ideal for use in highest grade cleanrooms |

| Part No. | Description | | Size | Packaging |
|----------|---|---|--|------------------------|
| EZSE0100 | EasyCurve Sealed Edge Mop head, Ribbed microfiber | | 15" x 5" x 0.375" (38 x 13 x 1 cm) | 2/bag; 20 bags/case |
| EZSE0150 | EasyCurve Sterile Sealed Edge Mop head, Ribbed microfiber |  | 15" x 5" x 0.375" (38 x 13 x 1 cm) | 1/bag; 24 bags/case |
| EZMP0300 | EasyCurve Mop Head Ribbed microfiber | | 14" x 1.25" x 0.75" (35 x 3.2 x 1.9 cm) | 4/bag; 12 bags/case |
| EZMP0350 | EasyCurve Sterile Mop Head Ribbed microfiber |  | 14" x 1.25" x 0.75" (35 x 3.2 x 1.9 cm) | 1/bag; 48 bags/case |
| 2724 | EasyCurve Mop Frame Stainless steel | | 14" x 4.25" (36 x 11 cm) | 1/case |

EasyReach™ Cleaning Tool

Lightweight tool for small environments

Product information

EasyReach™ Cleaning Tool is the ergonomic solution to effectively clean and disinfect mini environments such as biosafety cabinets, isolators, RABS and laminar airflow hoods.

The laundered, knitted 100% polyester pads are designed to provide a low level of particulates which is essential for use in product contact areas. The thick, multilayer construction is very absorbent, ensuring even coverage of disinfectant on surfaces. The pads are available presaturated with 70% IPA ensuring the same amount of fluid is being applied by each operator to the surface.

Various tool options are available including lay flat frames and telescoping handles to ensure users do not need to reach inside the unit.



| Features | Benefits |
|--|--|
| Laundered knitted, sealed edge 100% polyester pads | <ul style="list-style-type: none"> Remains secure in use allowing for efficient disinfection and residue removal Very low particulate for ISO 5/Grade A environments |
| Choice of dry or presaturated pads with 70% IPA | <ul style="list-style-type: none"> Can be used with a detergent or disinfectant of choice utilizing existing validation Presaturated pads eliminate the need for spray bottles in the controlled environment |
| Easy grab edge | <ul style="list-style-type: none"> Ensures the pad can fit tightly but is also easy to replace even with gloved hands, encouraging prompt replacement of the pad when necessary |
| Validated sterile pads available | <ul style="list-style-type: none"> Suitable for use in ISO 5/Grade A and B zones |
| Low profile pivoting head | <ul style="list-style-type: none"> Ensures even the most awkward areas can be reached with the minimum effort while maintaining good contact with the surface |
| Ultra-lightweight stainless steel frame and handle | <ul style="list-style-type: none"> Suitable for single handed operation, reducing operator fatigue and encouraging best practice compliance Layflat option prevents unwanted movement allowing uniform contact on surfaces Suitable for autoclaving at 121°C and compatible with a wide range of cleaning and disinfection products including vaporized hydrogen peroxide |
| Rounded edges | <ul style="list-style-type: none"> Ensures there is no possibility of damage or scratching of equipment |
| Fixed length or telescopic handles | <ul style="list-style-type: none"> Extends to 30" to facilitate cleaning in large RABS, half suits or incubators, minimizing the risk of strains through overreaching Short handle is small enough to fit into the tightest of transfer ports Reduces the likelihood of containment devices being breached and contaminated while operators are cleaning |
| Hanging hook | <ul style="list-style-type: none"> Allows convenient storage away from work surfaces |



EasyReach™ Cleaning Pads

The thick, quilted polyester pads are very absorbent and hold high levels of solution or disinfectant, facilitating easy cleaning and disinfection. Made from Quiltec, this two-ply quilted 100% knitted polyester is laundered in a Class 4 cleanroom. The cleaning pads have sealed edges to further reduce the number of readily releasable particles. [EasyReach Cleaning Pads](#) are available validated sterile.

Isolator, RABS and mini environment cleaning and disinfection

Even if they are sanitized using gaseous hydrogen peroxide or other chemicals, mini environments need to be cleaned prior to disinfection. The ultra-lightweight, low profile head and pivoting handle make the [EasyReach Cleaning Tool](#) ideal for overlapping passes in confined spaces.

The highly absorbent mop head can be used with the shortest QuickConnect handle which is only 16" long and easily passes into a transfer hatch. Alternatively for larger systems, a 16" handle which extends to 30" is also available.



2685 with PSME0001

| Part No. | Description | | Size | Packaging |
|------------|--|---|------------------------------|---------------------------|
| MEQT0001 | EasyReach Cleaning Pads Quilted polyester | | 7.5" x 2.8" (19 x 7 cm) | 4/bag; 15 bags/case |
| MEQT0002SZ | EasyReach Sterile Cleaning Pads Quilted polyester |  Sterile | 7.5" x 2.8" (19 x 7 cm) | 4/bag; 15 bags/case |
| MEQT0021 | EasyReach Cleaning Pads Ultrasonically sealed polyester | | 7.5" x 2.8" (19 x 7 cm) | 4/bag; 25 bags/case |
| MEQT0022 | EasyReach Sterile Cleaning Pads Ultrasonically sealed polyester |  Sterile | 7.5" x 2.8" (19 x 7 cm) | 4/bag; 25 bags/case |
| PSME0001 | EasyReach Sterile Cleaning Pads 100% knitted polyester presaturated with 70% sterile IPA |  Sterile | 7.5" x 2.8" (19 x 7 cm) | 8/pouch; 8 pouches/bag |
| 2685LF | QuickConnect EasyReach Layflat frame, stainless steel | | 7.5" x 2.4" (19 x 6 cm) | 1/case |
| 2685P | QuickConnect EasyReach Layflat frame, polypropylene | | 7.25" x 1.75" (18 x 4 cm) | 1/case |
| 2686 | QuickConnect Stainless Steel Handle, Stainless steel with hanging loop | | 16" (41 cm) | 1/case |
| 2665LF | EasyReach Layflat mop frame Stainless steel | | 17" (43 cm) | 1/case |
| 2642 | QuickConnect Telescopic Handle, Anodized aluminum | | 16" - 30" (41-76 cm) | 1/case |
| 2644 | QuickConnect Telescopic Handle, Stainless steel | | 16" - 30" (41-76 cm) | 1/case |

QuickTask™ Mops

Cleanroom flat pocket mop

Product Information

The QuickTask™ Mopping System offers a variety of flat mop heads to meet the needs of various areas in a cleanroom facility. Each mop head is compatible with a wide range of solutions and disinfectants. The QuickTask magnetic mop head frames can be used hands-free with the Compact Bucket System and hands-free mop removal tool.



2906 with TASK0400

| Mop Frames Features | Benefits |
|---|---|
| Constructed from magnetic stainless steel or durable autoclavable polypropylene | <ul style="list-style-type: none"> • Suitable for autoclaving allowing use in highest grade areas • Reducing operator fatigue and encouraging compliance • Holes in the metal frame reduce weight and speed up wringing, increasing efficiency • Compatible with most common detergents and disinfectants • Hands free mop removal option with the Compact Bucket System and QuickTask hands free removal tool |
| Flat contact plate | <ul style="list-style-type: none"> • Ensures good contact with smooth surfaces with no uneven pressure points improving the consistency of the cleaning and disinfection process |
| Robust head joint | <ul style="list-style-type: none"> • Allows controlled movement of the mop head across surfaces for efficient cleaning and disinfection |
| Designed for use with QuickConnect Mop Handles | <ul style="list-style-type: none"> • Different handles can be interchanged easily and quickly |

| Part No. | Description | Size | Packaging |
|----------|---|---|-----------------------------|
| TASK0200 | QuickTask Mop Knitted polyester | 16" x 6" (40 x 15 cm) | 4/bag; 12 bags/case |
| TASK0250 | QuickTask Mop Sterile, knitted polyester |  16" x 6" (40 x 15 cm) | 1/bag; 40 bags/case |
| TASK0300 | QuickTask Mop Microfiber | 16" x 6" (40 x 15 cm) | 10/bag; 4 bags/case |
| TASK0400 | QuickTask Mop Polyester knitted microfiber | 16" x 6" (40 x 15 cm) | 10/bag; 5 bags/case |
| TASK0500 | QuickTask Mop Polyester/cellulose | 16" x 6" (40 x 15 cm) | 4/bag; 12 bags/case |
| TASK0550 | QuickTask Mop Irradiated, polyester/cellulose | 16" x 6" (40 x 15 cm) | 4/bag; 10 bags/case |
| TASK0600 | QuickTask Mop Polyester microfiber/foam | 16" x 5" (40 x 13 cm) | 1/bag; 40 bags/case |
| PSTA0021 | PROSAT QuickTask Mop Presaturated with 70% IPA/30% DI Water | 16" x 5" (40 x 13 cm) | 2/pouch; 15 pouches/case |
| PSTA0022 | PROSAT Irradiated QuickTask Mop Presaturated with 70% IPA/30% DI Water | 16" x 5" (40 x 13 cm) | 2/pouch; 15 pouches/case |
| 2906 | QuickTask Magnetic Mop Frame Stainless steel | 15.5" x 4.25" (41 x 11 cm) | 1/case |
| 2699P | QuickTask Magnetic Mop Frame Polypropylene | 15.5" x 4.25" (41 x 11 cm) | 1/case |
| 2740 | QuickTask Flat Mop Frame Polypropylene | 16" x 4.25" (41 x 11 cm) | 1/case |

QuickTask™ Flat Mop Heads

Contec offers one of the widest ranges of flat mop heads, from sterile knitted polyester for single use in critical areas to microfiber for lower grade rooms and outer areas.

| | |
|---|--|
| <p>TASK0200/TASK0250</p>  | <p>Knitted 100% polyester mop heads</p> <ul style="list-style-type: none"> • Cleanroom laundered 100% polyester knit ensures a low level of particulates • Sorbent multilayer knitted structure applies solutions evenly • Designed for single use • Sterile or nonsterile options |
| <p>TASK0300</p>  | <p>Looped microfiber mop heads</p> <ul style="list-style-type: none"> • Exceptional sorbency and mop to dry performance on wet surfaces • Autoclavable • Highly effective at the removal of liquids, soils, residues and other contaminants • Especially effective on polymeric flooring |
| <p>TASK0400</p>  | <p>Knitted looped polyester mop heads</p> <ul style="list-style-type: none"> • Cleanest and most durable mop head • Tubular knit loops conform to any shape making it especially suitable for coving bases and wall/floor joints • Manufactured from cleanroom laundered polyester for a very low level of particulates • Autoclavable • Loops also provide high levels of sorbency and good performance drying wet surfaces |
| <p>TASK0500/TASK0550</p>  | <p>Cellulose/polyester blend mop heads</p> <ul style="list-style-type: none"> • Cost effective • Highly sorbent • Suitable for removal of light soils, residues and biofilms • Sterile or nonsterile options • Designed for single use |
| <p>TASK0600</p>  | <p>Polyester microfiber foam mop head</p> <ul style="list-style-type: none"> • The unique microfiber face and foam core construction ensures excellent floor contact, sorbency, and superior surface cleaning. • Ribbed microfiber face allows for exceptional cleaning, solution application, and mop-to dry performance. • Durable and economical. |
| <p>PSTA0021/PSTA0022</p>  | <p>Presaturated polyester mop</p> <ul style="list-style-type: none"> • 100% polyester mop presaturated with 70% USP grade IPA • Eliminates the need for additional accessories such as bucket systems and wringers • Available irradiated for use in Grade B cleanrooms • Ideal for rinsing or removing residues |

VertiKlean® MAX™ Mop Wipe System

Foam mop with various wipe options



Product Information

The versatile VertiKlean® MAX™ Mop Wipe System enables users to customize their mopping system with dry or presaturated wipe covers of different substrates, making it ideal for applying disinfectant solutions, removing residues, or wiping surfaces dry. The variety of wipes enables the user to eliminate the use of water in the cleanroom.

The stainless steel VertiKlean MAX Mop Wipe Frame has been fitted with robust and easy-to-use “keepers” to securely hold the wipes in place. Used with a sealed edge VertiKlean MAX mop head, the system can then be fitted with a choice of wipes that are dry or presaturated.

Two frame sizes are available. The small frame can be used with a 9” x 11” wipe. The larger frame can be used with a 12” x 12” wipe.

| Features | Benefits |
|---|--|
| Stainless steel frame with flexible keepers | <ul style="list-style-type: none"> Resistant to chemicals and disinfectants, and may be sterilized by validated methods including gamma irradiation or autoclaving. Easy to attach and remove mop covers |
| Disposable single-use mop wipes | <ul style="list-style-type: none"> Presaturated or dry wipes for saturation at point of use are available Removes contaminants easily and completely from the environment |
| Presaturated mop wipes | <ul style="list-style-type: none"> Eliminates the need for a bucket and wringer |
| Lightweight design and slim profile | <ul style="list-style-type: none"> Allows easy access to confined spaces for efficient cleaning and disinfection |

Mop Wipes

Cellulose/Polyester

Highly sorbent and suitable for removal of light soils, residues and biofilms. Most cost effective option. Available sterile and nonsterile.

Quiltec®

Cleanroom laundered, 100% polyester knit ensures a very low level of particulates. It is very absorbent and durable – suitable for large surface areas and for use where superior sorbency is required. Available dry and presaturated.

MicroGenesis™

Microfiber is excellent for removing powder residue on equipment, walls, floors and ceilings, as well as grease from production equipment between manufacturing jobs. Superior spill pick-up and removal.

| Part No. | Description | | Size | Packaging |
|---------------------------------------|--|--|--|------------------------------|
| For Floors, Walls and Ceilings | | | | |
| VKMX0225 | Medium VertiKlean MAX Ribbed microfiber mop head | | 13" x 4" x 1" (33 x 10 x 2 cm) | 4/bag; 7 bags/case |
| VKMX0275 | Medium VertiKlean MAX Sterile ribbed microfiber mop head |  | 13" x 4" x 1" (33 x 10 x 2 cm) | 1/bag; 28 bags/case |
| VKSE0200 | Medium VertiKlean MAX Ribbed sealed edge mop head | | 15" x 5" x 0.375" (38 x 13 x 1 cm) | 4/bag; 4 bags/case |
| VKSE0250 | Medium VertiKlean MAX Sterile ribbed sealed edge mop head |  | 15" x 5" x 0.375" (38 x 13 x 1 cm) | 1/bag; 24 bags/case |
| 2652K | Medium QuickConnect Mop Frame with Keepers | | 11.5" (29 cm) | 1/case |
| LWQT0100 | Quiltec® Mop Wipes 100% polyester quilted mop wipes | | 10" x 17" (250 x 432 mm) | 20/bag; 12 bags/case |
| PSQT0100 | PROSAT® Quiltec® 100% 2-ply polyester with 70% IPA (folded) | | 10" x 16.5" (250 x 419 mm) | 20/pouch; 9 pouches/case |
| LWMM0300 | MicroGenesis™ Mop Wipes Microfiber mop wipes | | 10" x 18" (250 x 460 mm) | 100/bag; 4 bags/case |
| For Mini Environments | | | | |
| VKMX0125 | Regular VertiKlean MAX Ribbed microfiber mop head | | 8" x 4" x 1" (20 x 10 x 2 cm) | 4/bag; 12 bags/case |
| VKMX0175 | Regular VertiKlean MAX Sterile ribbed microfiber mop head |  | 8" x 4" x 1" (20 x 10 x 2 cm) | 1/bag; 48 bags/case |
| VKSE0100 | Regular VertiKlean MAX Sealed Edge Mop head | | 9.5" x 5" x 0.375" (24 x 13 x 1 cm) | 4/bag; 10 bags/case |
| VKSE0150 | Regular VertiKlean MAX Sterile Sealed Edge Mop head |  | 9.5" x 5" x 0.375" (24 x 13 x 1 cm) | 1/bag; 40 bags/case |
| 2651KLF | Regular QuickConnect Mop Frame with Keepers | | 7.5" (19 cm) | 1/case |
| PS-911EB | PROSAT Sterile Polynit Heatseal LE Wipes Presaturated with 70% IPA and 30% WFI |  | 9" x 11" (230 x 280 mm) | 30/pouch; 48 pouches/case |
| PSWE0003 | PROSAT Sterile Polynit Heatseal wipes with 70% IPA and WFI |  | 12" x 12" (305 x 305 mm) | 10/pouch; 30 pouches/case |
| PSPS0091 | PROSAT® Sterile Polynit Heatseal Wipes Presaturated with 70% IPA and 30% DI water |  | 12" x 12" (305 x 305 mm) | 20/bag; 20 bags/case |
| NWPZ0002 | Amplitude™ Kappa™ Sterile LE Wipes Flat stacked |  | 12" x 12" (305 x 305 mm) | 25/bag; 40 bags/case |

Wipe only works with this mop head. If not marked, it works with both:

 VertiKlean® MAX™

 VertiKlean® MAX™ Sealed Edge



EasySat™ Bucketless Floor Mop

Cleanroom bucketless mop system

Product Information

EasySat™ Bucketless Floor Mop is an all-in-one mopping system that eliminates the need for a bucket and wringer. This floor mop with a built-in reservoir is easy-to-use and autoclavable. The 52 ounce solution reservoir is easy to fill and covers approximately 5,000 square feet before refilling.

The trigger mechanism releases a controlled flow of cleaning solution either on-demand or continuously. The 16 jets ensure that the cleaning solution is evenly dispersed across the entire mop head.

The standard EasySat mop head features durable polyester fabric laminated to polyurethane foam which provides excellent abrasion resistance. The disposable mop head attaches to hardware in seconds using hook and loop.

EasySat Bucketless Floor Mop is available with a pre-installed adaptor making it compatible with any Contec QuickConnect Flat Mop frame to use with the VertiKlean MAX and QuickTask Mopping Systems.

| Features | Benefits |
|--|---|
| VertiKlean polyester/polyurethane foam mop heads | <ul style="list-style-type: none"> Highly absorbent and low particulate for cleanroom use |
| 16 dispensing jets along the mop frame | <ul style="list-style-type: none"> Ensure the cleaning solution is evenly dispensed across the VertiKlean mop head |
| Closed reservoir | <ul style="list-style-type: none"> Minimizes exposure to disinfectants and prevents spills |
| Trigger control mechanism | <ul style="list-style-type: none"> Lightweight and easy to use, releasing fluid on demand or in a continuous flow |
| Sterile single-use mop heads | <ul style="list-style-type: none"> Suitable for use in the highest grade cleanrooms |
| Fully autoclavable | <ul style="list-style-type: none"> Suitable for use in all grades of cleanrooms |

| Part No. | Description | | Size | Packaging |
|------------|--|---|---|------------------------|
| BLMOP | EasySat Bucketless Mop System | | 22" x 4" x 57" (55 x 10 x 146 cm) | 1/case |
| BLVKMOP | EasySat Mop Head Knitted polyester/foam mop | | 21.5" x 18.25" x 4.75" (54.6 x 46 x 12 cm) | 4/bag; 8 bags/case |
| BLVKMOPIR | EasySat Sterile Mop Head Knitted polyester/foam mop |  | 21.5" x 18.25" x 4.75" (54.6 x 46 x 12 cm) | 1/bag; 28 bags/case |
| TBLVKMOP | EasySat Textured Mop Head Textured knitted polyester/foam mop | | 21.5" x 18.25" x 4.75" (54.6 x 46 x 12 cm) | 4/bag; 8 bags/case |
| TBLVKMOPIR | EasySat Textured Mop Head Textured knitted polyester/foam mop |  | 21.5" x 18.25" x 4.75" (54.6 x 46 x 12 cm) | 4/bag; 28 bags/case |
| BLMOPQC | EasySat Bucketless Mop System with QuickConnect frame adaptor Allows system to be used with any Contec QuickConnect Frame | | 22" x 4" x 57" (55 x 10 x 146 cm) | 1/case |

Contec® DualClean™

Softwall strip cleaner for clean environments

Product Information

DualClean Softwall Strip Cleaner allows a single operator to clean both sides of PVC strip curtains in a single pass. It's ideal for all areas of the cleanroom environment from clean workspace enclosures to free standing soft wall cleanrooms and outer areas.

The system consists of a fabric cover that is snugly fitted over a stainless-steel frame with two curved-surface arms. Each curtain strip to be cleaned is positioned between the two arms of the frame, with the arms touching both sides of the curtain at once. Maintaining slight tension on the curtain strip, DualClean is moved down the length of the strip, easily and uniformly cleaning both sides of the entire length of the strip at the same time.

Two different fabric covers are available for use with the DualClean system, a microfiber cover removes and traps dust and other visible contaminants, while the Quilted two-ply 100% knitted polyester cover is ideally suited for more critical environments.

The DualClean frame can be used with a wide variety of QuickConnect handles. The short telescoping carbon fiber handle is recommended. The covers, frame and handles are compatible with a wide range of solvents and disinfectants.



| Features | Benefits |
|---|---|
| Dual-facing stainless steel curved arms | <ul style="list-style-type: none"> Securely holds wiping covers for uniform strip contact Cleans both sides of strip curtain, up to 12" wide at once Easy to use as tension on strip is simple to control Ideal for sterile environments; can be autoclaved |
| Quilted polyester cleaning cover | <ul style="list-style-type: none"> Cleanroom laundered; extremely clean and durable Ideal for the most critical applications Traps and removes contaminants |
| Microfiber cleaning cover | <ul style="list-style-type: none"> Ideal for removing larger contaminants Excellent sorbency |

| Part No. | Description | | Size | Packaging |
|----------|--|---|--------------------------|------------------------|
| DCQT0001 | DualClean Cover Quilted knitted polyester | | 26" x 3" (66 x 8 cm) | 8/bag; 10 bags/case |
| DCQT0002 | DualClean Sterile Cover Quilted knitted polyester |  | 26" x 3" (66 x 8 cm) | 4/bag; 20 bags/case |
| DCMD0001 | DualClean Cover Microfiber | | 26" x 3" (66 x 8 cm) | 8/bag; 10 bags/case |
| 2778 | Contec DualClean Frame, Stainless steel | | 7.4" x 2" (19 x 6 cm) | 1/case |
| CFH70 | QuickConnect Handle, Carbon fiber | | 40" - 70" (102-178cm) | 1/case |



Multiple Bucket Systems

Product Information

The use of a multiple bucket system promotes efficient cleaning and disinfection as the detergent or disinfectant is not compromised by becoming contaminated or diluted during use. The separate waste bucket ensures that the active solution remains “clean”, and uncontaminated by any soil removed from the walls, floors or ceilings. Instead of being redeposited on surfaces, the contaminants are physically removed from the cleanroom environment in the waste bucket.

A triple bucket system further improves the process as the mop can be thoroughly rinsed before being replaced in detergent or disinfectant. Using single use disposable mop heads also minimizes the risk of re-contaminating a surface.

Contec offers a wide range of multiple bucket systems to suit every size of facility and budget. Both double and triple bucket systems are available in both polypropylene and stainless steel buckets. Accessories include sterile bucket liners, mop removal tools, stainless steel baskets for consumable supplies and mop hooks.

Not all bucket and wringer systems are compatible with each mop head frame.

- Choice of multiple bucket systems to complement all types of Contec mops.
- Range of sizes to allow best practice use of a multiple bucket system in all facilities.
- Two and three-bucket systems with a variety of wringers and practical accessories are available
- Use of a separate “waste” bucket ensures that the active solution remains uncontaminated by soil removed from surfaces.

“The use of a multiple bucket system promotes efficient cleaning and disinfection as the detergent or disinfectant is not compromised by becoming contaminated or diluted during use.”



7 Gallon Double Bucket System (2707)



Compact Triple Bucket System with standard handle (2942U3S)



Compact Triple Bucket System with utility handle (2942U3B)


Correct Mopping Protocol

For 2-bucket and 3-bucket systems

These diagrams are guides for proper mopping techniques when using a two or three bucket system. Always follow your site-specific cleaning protocols.

Single bucket


- Mop** Use bucket with disinfectant and mop floor
- Wring** Wring mop back into single bucket of disinfectant
- Mop** Return a mixture of disinfectant and dirt back to the surface



“a multiple bucket cleaning system can improve the overall disinfection process.”


Double bucket

- Mop** Use bucket with disinfectant and mop floor
- Wring** Wring mop into empty second “waste” bucket
- Mop** Re-apply disinfectant from first bucket to surface, little contamination is returned to the surface



Triple bucket

- Mop** Use bucket with disinfectant and mop floor
- Wring** Wring mop into empty third “waste” bucket
- Rinse** Rinse mop in clean water in second bucket
- Wring** Wring remaining dirt from mop into “waste” bucket
- Mop** Re-apply disinfectant from first bucket to surface, no contamination is returned to the surface





Compact Triple Bucket System with Utility handle (2942P3S)



Compact Double Bucket System with Utility handle (2942U2B)



Compact Triple Bucket System with Utility handle (2942U3B)

Compact Bucket System

Product Information

Contec's autoclavable **Compact Bucket System** is an all-in-one solution to make cleaning and disinfecting easier and more efficient. The cart is designed for use with Contec's VertiKlean® MAX™, VertiKlean® MAX™ Sealed Edge, EasyCurve™ and QuickTask™ Mopping Systems.

The stainless steel cart is available in multiple configurations to meet the unique needs of your environment. Available with either two or three 3.9 gallon (15 L) autoclavable polypropylene buckets, with a utility cart handle, or three 2.6 gallon (10 L) stainless steel buckets, and with a utility handle. The utility handle allows two small buckets (1.6 gallon) or one large bucket (3.9 gallon) to be positioned on the handle providing additional storage for clean mop heads, spray bottles, wipes, and other items as needed.


The clean polypropylene buckets are provided with stainless steel debris screens. The screen is positioned in the base of the clean and rinse buckets and prevents the mop from touching the bottom of the bucket where unwanted contaminants settle. Hand-free removal tools are available for VertiKlean MAX and QuickTask Mopping Systems.

| Features | Benefits |
|---|--|
| Compact polypropylene buckets with integral drip cap | <ul style="list-style-type: none"> Keeps buckets in place while in use and prevents drips between the buckets and floor Buckets can hold a curved or flat wringer for curved or flat mops |
| Optional hands-free mop head removal tool | <ul style="list-style-type: none"> Allows easy hands-free removal of the VertiKlean MAX and QuickTask mop heads Used mop heads can easily be discarded |
| Utility handle basket holds two 1.6 gallon buckets | <ul style="list-style-type: none"> Additional storage for clean mop heads, solution bottles, wipes, and other cleaning supplies if needed |
| Four quiet rotating, lockable casters | <ul style="list-style-type: none"> Allow excellent maneuverability ideal for small cleanrooms and tight spaces Cart position can be secured during cleaning tasks |
| Storage clips for two mop handles and frames | <ul style="list-style-type: none"> Allows convenient storage of two mop handles and frames keeping mops out of the way Keeps mops readily at hand when changing locations |
| Graduated polypropylene buckets in imperial and metric measurements available in three colors | <ul style="list-style-type: none"> Different colors can be used to denote waste, rinse, and clean solution Dilution of concentrate is made easier |
| 100% autoclavable, electropolished stainless steel frame | <ul style="list-style-type: none"> Safe for autoclaving at 121°C for 30 minutes allowing it to be used in the most critical environments Compatible with most cleanroom disinfectants and cleaners |

| Part No. | Description | Packaging |
|--------------------|---|---------------------|
| 2941U2B | Compact Bucket System Two 3.9 gallon (15 L) polypropylene buckets, utility handle with two 1.6 gallon (6L) buckets and one debris screen | 1/case |
| 2941U3B | Compact Bucket System Three 3.9 gallon (15 L) polypropylene buckets with utility handle and two debris screens | 1/case |
| 2941U3S | Compact Bucket System Three 2.6 gallon (10 L) stainless steel buckets with utility handles and flat wringer | 1/case |
| Wringers | | |
| 2689 | Stainless steel flat mop wringer for 3.9 gallon (15 L) polypropylene buckets | 1/case |
| 2690 | Stainless steel curved wringer for 3.9 gallon (15 L) polypropylene buckets | 1/case |
| 2756 | Stainless steel flat mop downpress wringer for polypropylene and stainless steel systems | 1/case |
| 6029 | Stainless steel flat mop wringer for 2.6 gallon (10L) stainless steel buckets | 1/case |
| Accessories | | |
| PB6BS-3 | Polypropylene utility bucket 1.6 gallon (6 L) | 2/case |
| UBKT0008 | Red, blue, gray 3.9 gallon (15 L) polypropylene buckets (set of three) | 1 set/case |
| 2675 | Debris screen for 3.9 gallon (15 L) polypropylene buckets | 2/case |
| 6033 | VertiKlean MAX Hands-Free Mop Removal Tool | 1/case |
| 6034 | QuickTask Hands-Free Mop Removal Tool | 1/case |
| BKTBAG2 | Sterile Bucket bag liners for 3.9 gallon (15 L) polypropylene buckets | 3/bag; 20 bags/case |
| BNBG0001 | Disposal bag for mop head removal tool | 80/case |
| BNBG0002 | Irradiated disposal bag for mop head removal tool | 80/case |



VertiKlean MAX Hands-Free Mop Removal Tool
6033



QuickTask Hands Free Removal Tool
6034



Mop Holder



Graduated Colored Buckets



Stainless Steel Wringer
6029



Flat Mop Wringer
2689



Curved Mop Wringer
2690



Flat Mop Downpress Wringer
2756

Contec® Multiple Bucket Systems

Product Information

The basic system comprises an extendable stainless steel cart with four casters that can hold two or three 6.5 gallon (25 L) polypropylene buckets, or two or three 7 gallon (27 L) stainless steel buckets.

The modular bucket system features a stainless steel rolling cart with removable handle for easier autoclaving and more convenient storage. The durable, lightweight cart has four casters, including two that lock easily with the touch of a foot.

The basic 6.5 gallon system is provided with two polypropylene buckets, red and blue. The extendable frame pulls out from the front of the cart to accommodate an additional bucket, which can be purchased separately, if required. All buckets are made of rugged autoclavable polypropylene. One stainless steel connecting kit to prevent drips between the buckets is included. For maximum flexibility, wringers are ordered separately. The bucket system is compatible with all sizes and styles of Contec mops, depending upon the wringer selection.

The basic 7 gallon system is provided with two stainless steel buckets. An extendable frame pulls out from the front of the cart to accommodate an additional bucket if required. The additional bucket can be purchased separately. The buckets are manufactured from 304 electropolished stainless steel and are fully autoclavable. They are deep drawn and seamless, reducing the risk of microbial contamination. A lip around the top edge of the buckets allows for easy lifting. The stainless steel downpress wringer is included. It is compatible with all sizes of VertiKlean MAX, VertiKlean MAX Sealed Edge, QuickTask, and Edgeless Mops.

A convenient stainless steel holder and lid is also available. This fits onto the handle of the cart to carry any consumables that might be required during the cleaning and disinfection process.

| Part No. | Description | Packaging |
|-----------------------------------|---|---------------------|
| 6.5 Gallon Bucket System | | |
| 2650 | Multiple Polypropylene Bucket System Two 6.5 gallon (25 L) polypropylene buckets, drip cap, and casters; expands to hold three buckets | 1/case |
| UBKT0003 | Polypropylene bucket, 6.5 gallon (25 L), gray (optional third bucket) | 1/case |
| 2729 | Stainless steel drip cap for 6.5 gallon (25 L) multibucket system | 1/case |
| 6.5 Gallon Wringer Options | | |
| 2756 | Stainless Steel Flat Mop Downpress Wringer For QuickTask and VertiKlean MAX | 1/case |
| 2689 | Stainless Steel Flat Mop Wringer for 6.5 gallon (25 L) polypropylene bucket systems For QuickTask and VertiKlean MAX | 1/case |
| 2690 | Stainless Steel Curved Mop Wringer for 6.5 gallon (25 L) polypropylene bucket systems For EasyCurve Mops | 1/case |
| 2738 | Blue Polypropylene Flat Mop Wringer for 6.5 gallon (25 L) buckets For QuickTask and VertiKlean MAX | 1/case |
| 2995 | Stainless steel downpress wringer | 1/case |
| 7 Gallon Bucket System | | |
| 2707 | Stainless Steel Multiple Bucket System Two 7 gallon (27 L) stainless steel buckets, and casters | 1/case |
| 2617 | 7 gallon (27 L) bucket, stainless steel, 21" x 13" x 8" (53 x 33 x 20 cm), optional third bucket | 1/case |
| 2995 | Stainless steel downpress wringer | 1/case |
| Accessories | | |
| 2763 | Stainless steel holder, lid and basket, 21" x 6" x 4" (53 x 16 x 10 cm) | 1/case |
| 2775 | Universal handle hook | 1/case |
| BKTBAG | Bucket liners, 4 mil cleanroom polyethylene film, 34" x 24" x 0.004" (86 x 61 x 0.01 cm) | 2/bag; 20 bags/case |

Multiple Bucket System

6.5 Gallon System 2650
Select your wringer below



7 Gallon System 2707
Select wringer 2756 or 2995



Wringers for 6.5 Gallon System



2689
Stainless Steel Flat Mop Wringer
VertiKlean MAX and QuickTask Mopping Systems



2690
Stainless Steel Curved Wringer
EasyCurve Mopping System



2738
VertiKlean MAX and QuickTask
Mopping Systems

Wringers for 6.5 Gallon or 7 Gallon Systems



2756
Flat Mop Wringer
VertiKlean MAX Mopping Systems



2995
Edgeless Mopping System

Accessories



2763
Stainless Steel Holder, Lid & Basket



2775
Handle Hook

Basic Bucket Systems

Product Information

These fully autoclavable polypropylene bucket, wringer and simple cart systems are suitable for use with all Contec flat mops and the EasyCurve mop by the addition of different wringers. The systems are compact, lightweight and maneuverable with removable buckets and wringers, and provide a cost effective “best practice” double bucket option for facilities that are short on space. The systems are available with standard casters or lockable heavy-duty casters.

The compact double bucket system can be bought as a kit which includes the stainless steel caster base, two polypropylene buckets and a connecting kit. The system is available with two 5 gallon (20 L) buckets.

Two electropolished stainless steel wringer options are available. Designed to clip straight onto a bucket, the flat and curved platform wringers allow the bucket system to be used with all Contec flat mops and the EasyCurve mop.



2770-KIT with heavy-duty casters



2691 Stainless Steel Flat Mop Wringer
VertiKlean MAX and QuickTask
Mopping Systems



2694 Stainless Steel Curved Wringer
EasyCurve Mopping System

| Part No. | Description | Packaging |
|----------------------------------|--|-----------|
| 5 Gallon with Caster Base | | |
| 2769-KIT | Double Polypropylene Bucket System Two 5 gallon (20 L) buckets (blue, red) and standard casters | 1/case |
| 2770-KIT | Double Polypropylene Bucket System Two 5 gallon (20 L) buckets (blue, red) and heavy-duty casters | 1/case |
| Wringers | | |
| 2691 | Stainless Steel Flat Mop Wringer for 5 gallon (20 L) polypropylene buckets For QuickTask and VertiKlean MAX | 1/case |
| 2694 | Stainless Steel Curved Mop Wringer for 5 gallon (20 L) polypropylene buckets For EasyCurve Mops | 1/case |
| Accessories | | |
| UBKT0005 | 5 gallon (20 L) Polypropylene Bucket, Red | 1/case |
| UBKT0006 | 5 gallon (20 L) Polypropylene Bucket, Blue | 1/case |
| 2769 | Lightweight stainless steel caster base with standard casters | 1/case |
| 2770 | Lightweight stainless steel caster base with lockable heavy-duty casters | 1/case |
| 2773 | Stainless Steel Connecting Kit for 5 gallon (20 L) polypropylene buckets | 1/case |

Edgeless® Mop Double Bucket System

Product Information

This fully autoclavable polypropylene bucket, wringer and cart system is designed for use with the Contec Edgeless Mop. The system is comprised of two 6.5 gallon (25 L) buckets.

The system is compact, lightweight and maneuverable with removable buckets, wringer and handle and provides a cost effective “best practice” double bucket option for the Edgeless Mop



2720

Divided Bucket System

Product Information

The **Divided Bucket System**'s compact size makes it the ideal “double” bucket system for small facilities. The divided bucket delivers the benefits of a multiple bucket system in a very small, cost effective format.

For use with the VertiKlean MAX and EasyCurve Mops, a specially designed stainless steel wringer fits securely to one side of the system. Two large handles and four non-autoclavable casters allow easy maneuverability in use.



2743S

| Part No. | Description | Packaging |
|----------|--|-----------|
| 2720 | Polypropylene Double Bucket System Two 6.5 gallon (25 L) polypropylene buckets (red, blue), cart, and wringer | 1/case |
| 2743S | Twin Divided Bucket 5 gallon (20 L) bucket with stainless steel wringer, and casters | 1/case |

QuickConnect™ Mop Frames and Handles

Product Information

QuickConnect mop frames and handles offer maximum flexibility for cleaning and disinfecting in controlled environments. As a cost effective solution offering maximum flexibility, one handle can be used with all Contec mop frames, allowing different mop heads to be chosen for specific applications.

The mop head frames have identical quick-connect buttons which enable easy attachment to all sizes and styles of QuickConnect handle. All components are fully autoclavable.

QuickConnect Mop Handles

Extendable and fixed length handles are available to facilitate cleaning in the most confined areas or with the highest ceilings. Different materials are available including electropolished stainless steel, lightweight anodized aluminium and fiberglass.



QuickConnect Mop Frames

VertiKlean® MAX™

Lightweight VertiKlean MAX mop frames constructed from durable stainless steel with flexible connectors. In three size options; regular, medium and large.




VertiKlean® MAX™ Mop Wipe

Lightweight VertiKlean MAX stainless steel mop frames with "keepers" to hold the mop wipes to cover the mop head. In two size options; regular and medium



QuickTask™

Stainless steel mop frame with drilled holes to reduce weight and facilitate wringing. Polypropylene option is available. Both options are available with a magnetic closure.



EasyReach™

Lightweight small stainless steel or plastic mop frame especially suitable for isolators and RABS.



DualClean™

Stainless steel frame with two curved-surface arms.



EasyCurve™

Constructed from curved stainless steel with a pivoting steel connector.



Edgeless®

Polypropylene copolymer frame with stainless steel connector.



You can find the frames for your mop on the appropriate mop page

| Part No. | Description | Size | Packaging | Weights |
|-----------------------------|--|---------------------------|-----------|----------|
| QuickConnect Handles | | | | |
| 2642 | QuickConnect Extendable Handle anodized aluminum | 16" - 30" (41 - 76 cm) | 1/case | 0.4 lbs |
| 2643 | QuickConnect Extendable Handle anodized aluminum | 50" - 92" (127 - 234 cm) | 1/case | 1.3 lbs |
| 2644 | QuickConnect Extendable Handle stainless steel | 16" - 30" (41 - 76 cm) | 1/case | 0.83 lbs |
| 2645 | QuickConnect Extendable Handle stainless steel | 50" - 92" (127 - 234 cm) | 1/case | 2.95 lbs |
| 2686 | QuickConnect Handle stainless steel, one piece | 16" (41 cm) | 1/case | 0.4 lbs |
| 2725E | QuickConnect Handle stainless steel, one piece | 60" (152 cm) | 1/case | 1.61 lbs |
| 2746S | QuickConnect Extendable Handle, fiberglass | 40" - 70" (102 - 178 cm) | 1/case | 1.21 lbs |
| 2746 | QuickConnect Extendable Handle, fiberglass | 71" - 130" (180 - 330 cm) | 1/case | 1.89 lbs |
| CFH32 | QuickConnect Telescopic Handle, Carbon Fiber | 18" - 32" (46 - 81 cm) | 1/case | 0.3 lbs |
| CFH70 | QuickConnect Telescopic Handle, Carbon Fiber | 40" - 70" (102 - 178 cm) | 1/case | 0.6 lbs |
| CFH114 | QuickConnect Telescopic Handle, Carbon Fiber | 63" - 114" (160 - 290 cm) | 1/case | 1.1 lbs |
| CFH224 | QuickConnect Telescopic Handle, Carbon Fiber | 66" - 224" (168 - 568 cm) | 1/case | 1.9 lbs |
| CFH334 | QuickConnect Telescopic Handle, Carbon Fiber | 69" - 334" (175 - 848 cm) | 1/case | 3.2 lbs |

Critical Environments Mop Guide

| | | | | Operational Characteristics | | | |
|------------------------------------|-----------------|---|------------------------|-----------------------------|----------------------------|------------|------------------------|
| Brand Name | Style | Composition | Sterile/ Irradiated | Autoclavable | Low Particle Generation | Absorbency | Abrasion Resistance |
| Edgeless® | Tubular loop | 100% knitted polyester | Yes | Yes | Excellent | Good | Excellent |
| VertiKlean® MAX™ | Sponge | Polyurethane foam laminated to polyester fabric | Yes | No | Good | Excellent | Good |
| VertiKlean® MAX™ Sealed Edge | Sponge | Polyurethane foam laminated to polyester fabric | Yes | No | Excellent | Excellent | Good |
| VertiKlean® Zero Touch | | | | | | | |
| EasyReach™ | Flat mop | 2-ply 100% knitted polyester | Yes | Yes | Excellent | Good | Good |
| QuickTask® 0200, 0250 | Flat mop | 100% knitted polyester | Yes | Yes | Excellent | Good | Good |
| QuickTask® 0300 | Flat mop | Microfiber | No | Yes | Fair | Excellent | Good |
| QuickTask® 0400 | Flat mop | Microfiber | No | Yes | Good | Excellent | Good |
| QuickTask® 0500, 0550 | Flat mop | Polyester/cellulose blend | Yes | Yes | Fair | Good | Fair |
| QuickTask® 0600 | Flat mop | Ribbed microfiber | No | Yes | Excellent | Excellent | Good |
| PROSAT QuickTask | Flat mop | 2-ply 100% knitted polyester with rayon core & 70% USP Grade IPA | Yes | No | Excellent | Excellent | Good |
| EasyCurve™ | Sponge | Polyurethane foam laminated to polyester fabric | Yes | Yes | Good | Excellent | Good |
| EasyCurve™ Sealed Edge | Sponge | Polyurethane foam laminated to polyester fabric | Yes | Yes | Excellent | Excellent | Good |
| EasySat™ | Sponge | Ester foam laminated to polyester fabric | Yes | Yes | Good | N/A | Good |
| DualClean™ | Specialty | 2-ply 100% polyester | Yes | Yes | Excellent | Excellent | Good |

| Areas of Use | | | | | | |
|---------------------------|--------------------------|--------------|----------------------|--------|------------------|------------------|
| Residue Removal | Disinfectant Application | Wet Cleaning | Dry Cleaning | Floors | Walls & Ceilings | RABS & Isolators |
| Excellent | Excellent | Excellent | Poor | Yes | No | No |
| Fair | Excellent | Good | Fair | Yes | Yes | Yes |
| Excellent (Microfiber) | Good | Good | Good (Microfiber) | Yes | Yes | Yes |
| | | | | | | |
| Fair | Excellent | Good | Fair | No | No | Yes |
| Fair | Excellent | Good | Fair | Yes | Yes | No |
| Good | Good | Good | Excellent | Yes | Yes | No |
| Good | Good | Good | Good | Yes | Yes | No |
| Excellent | Good | Good | Fair | Yes | Yes | No |
| Excellent | Excellent | Excellent | Good | Yes | Yes | No |
| Excellent | N/A | Excellent | N/A | Yes | Yes | No |
| Fair | Excellent | Good | Fair | Yes | Yes | No |
| Excellent (Microfiber) | Excellent | Good | Good (Microfiber) | Yes | Yes | No |
| Good (Textured) | Excellent | Good | N/A | Yes | No | No |
| Fair | Excellent | Good | Fair | No | No | No |

For more information or to purchase
Contec® Cleanroom products,
contact our sales team.

CAT007 | 072524

Contec, Inc.
Spartanburg, SC 29303 USA
tel: +1-864-503-8333

info@contecinc.com
cleanroom.contecinc.com

